



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|--|-------------|-----------------------|---------------------|------------------|
| 10/582,707 | 12/26/2006 | Daniel James Twitchen | 292452U/SOX PCT | 7574 |
| 22850 | 7590 | 03/23/2011 | | |
| OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, L.L.P. 1940 DUKE STREET ALEXANDRIA, VA 22314 | | | | |
| EXAMINER | | | | |
| RUMP, RICHARD M | | | | |
| ART UNIT | | PAPER NUMBER | | |
| 1736 | | | | |
| NOTIFICATION DATE | | DELIVERY MODE | | |
| 03/23/2011 | | ELECTRONIC | | |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com

oblonpat@oblon.com

jgardner@oblon.com

Office Action Summary**Application No.**

10/582,707

Applicant(s)

TWITCHEN ET AL.

Examiner

Richard M. Rump

Art Unit

1736

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 26 February 2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 and 3-79 is/are pending in the application.
- 4a) Of the above claim(s) 54-74 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1 and 3-53 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-040)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date 02/26/2010 11/11/2010 11/18/2010
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Status of Application

Claims 1, 3-53 and 75-79 are pending and presented for examination. Claims 54-74 are withdrawn. The references supplied on the IDS dated 31 July 2009 have only been considered on their pertinent English sections. The objection to claim 6 is withdrawn.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1, 3-53 and 75-79 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Both claims 1 and 30 recite ". . . does not significantly affect any application properties of the diamond material . . .", the usage of 'significantly affect' implies that some level of effect is allowed, however to what degree cannot be construed given the specification at hand and the instant claim set. Furthermore, application properties are also indefinite. Applicants are requested to amend in what the properties are and to what degree they can be affected under the claims.

Claim Rejections - 35 USC § 102/103

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 1 & 3-7, 11, 21-26, 29-35, 40-49, 51-52 and 75-79 are rejected under 35 U.S.C. 102(e) as being anticipated by, or in the alternative under 35 U.S.C. 103(a) as being unpatentable over Linares et al (WO 03/014427).

Regarding claims 1 and 29, Linares teaches a method of growing a single crystal diamond by using a diamond substrate with a certain orientation in a CVD process (pg 32, lines 31-32), introducing a source gas to grow a single crystal diamond having a certain orientation, wherein the incorporation of a boron dopant is controlled (pg 33, lines 8-30). Linares discloses that the doping of the diamond structure by dopant atoms increases the average distance between carbon atoms in the diamond because the dopant atoms are larger than carbon atoms (pg 13, lines 23-31). Thus, these marks made by the dopant would only be viewable under special viewing conditions, and can be considered fingerprints. Linares further discloses that the addition of boron in diamond results in optical absorption in the near infrared. Thus, the mark caused by boron impurities would be rendered detectable when the diamond material is exposed to a certain radiation. It is to be noted that the addition of an impurity is disclosed by applicant and that it will result in the formation of a defect (one-dimensional defect *inter alia* a point defect) which will result in a change of the phononic vibration frequency of the cubic diamond structure. One of ordinary skill in the art of crystallography would be aware of this fact and would know that as such, the structure will vibrate at a characteristic wavelength. Said characteristic wavelength can be controlled via said adjustment to which a skilled artisan would do.

Regarding claims 3 and 4, Linares teaches a process of incorporating boron impurities into a single crystal diamond, wherein the source gas has been enriched with diborane (pg 35, lines 17-20). This would inherently cause the boron dopant to be provided in one or more layers or regions of the diamond material during synthesis, as the dopant is introduced in a controlled manner continuously.

Regarding claim 7, Linares discloses that the single crystal diamond contains boron (pg 33, lines 8-30). Boron doping is known to impart a blue coloration to diamond crystal, as disclosed in Linares (pg 16, lines 9-12). Because the blue wavelength lies within 400 to 500 nm, it is inherent that a diamond crystal with boron doping would phosphoresce within the range of the instant claim.

Regarding claim 11, Linares discloses that the boron content is higher than the nitrogen content (pg 27, lines 22-29).

Regarding claim 21-23, doping the diamond crystal would inherently produce a defect center because the dopant atoms (boron or nitrogen) are larger than carbon atoms (pg 13, lines 23-30), and that these defects are not found in natural diamond because the defects present in the CVD diamonds are doped in a controlled manner, which is different from that of a naturally occurring diamond.

For claims 24-25, modifying the diamond would inherently cause the optical properties of the diamond to change, thereby altering the measurable optical properties, allowing changes to be measured and thereby allowing identification of modification.

Regarding claim 26, Linares discloses that the doped diamond crystal have a unique combination of properties as a result of their impurities (pg 12, lines 1-14). Thus,

it would be inherent that the resulting fingerprint can be used to identify the synthetic nature of the material it is present in.

Regarding claim 30, Linares teaches a single crystal diamond by using a substrate with a certain orientation in a CVD process (pg 32, lines 31-32), introducing a source gas to grow a single crystal diamond having a certain orientation, wherein the incorporation of a boron dopant is controlled (pg 33, lines 8-30). Linares discloses that the doping of the diamond structure by dopant atoms increases the average distance between carbon atoms in the diamond because the dopant atoms are larger than carbon atoms (pg 13, lines 23-31). Thus, these marks made by the dopant would only be viewable under special viewing conditions, and can be considered fingerprints.

Regarding claim 31, Linares discloses that the CVD single crystal diamond may be used as a gemstone (pg 15, lines 23-27).

Regarding claims 32-34, doping the diamond crystal would inherently produce a defect center because the dopant atoms (boron or nitrogen) are larger than carbon atoms (pg 13, lines 23-30), and that these defects are not found in natural diamond because the defects present in the CVD diamonds are doped in a controlled manner, which is different from that of a naturally occurring diamond.

Regarding claim 35, it is readily apparent that the impurities as fingerprint form defect centers because they are larger than carbon atoms. Furthermore, it is also readily apparent to observe optical properties through the table of the gemstone, as doing so minimizes refraction.

Regarding claim 40, Linares discloses a CVD single crystal diamond wherein there are a multitude of doped layers (pg 39, lines 20-23). It is readily apparent to one skilled in the art that a gemstone cut from this diamond would have layers approximately parallel with the table of the gemstone, since the top layer would already be flat and therefore be the basis for the gemstone table.

For claims 41-43, Linares discloses that the CVD single crystal diamond doped with boron may be used as a surgical blade or other cutting tool (pg 16, lines 3-6).

Regarding claims 44-47, Linares discloses a CVD single crystal diamond doped with boron that has layer thickness of 250 μm (pg 40, lines 18-24).

For claims 48-49, Linares discloses a CVD single crystal diamond doped with nitrogen that has layer thickness of at least 20 μm , preferably at least 50 μm (pg 25, lines 11-27).

Regarding claim 51, Linares discloses that the CVD single crystal diamond may contain layers of varying impurity levels. This would inherently possess properties of having discrete layers under suitable illumination conditions because varying levels of impurities would alter the illumination patterns.

Regarding claim 52, Linares discloses that the CVD single crystal diamond may contain a layer free of defects while other layers have defects (pg 12, lines 15-22).

Regarding claims 75, it is found in at least one layer (*Id.*).

Regarding claims 77-78, the mark of origin could exist in more than one layer as it would merely be a duplication of the method steps and accordingly a *prima facie* case

of obviousness exists (See MPEP 2144.05). A spacer layer would merely be a layer where it was not performed.

Regarding claim 79, since no optical properties are changed, the limitations of instant claim 79 is considered met.

Claims 5-6, 12, 50 are rejected under 35 U.S.C. 102(e) as being anticipated by, or in the alternative under 35 U.S.C. 103(a) as being unpatentable over Linares et al (WO 03/014427), as evidenced by Vlasov (*Relative Abundance of Single and Vacancy-Bonded Substitutional Nitrogen in CVD Diamond*, phys. Stat. sol 181, 83, 2000). Both references appear in applicant's IDS and thus are not being provided.

Regarding claims 5-6, Linares recognizes that nitrogen doping may be used for similar purposes as boron doping (pg 14, lines 20-30). If nitrogen is used as a dopant in the single crystal diamond structure, the single crystal diamond would inherently show photoluminescence peaks at 533 nm, 575 nm or 638 nm as evidenced by Vlasov et al (*Relative Abundance of Single and Vacancy-Bonded Substitutional Nitrogen in CVD Diamond*, pg 85, Fig. 1).

Regarding claim 12, Linares discloses that the single diamond crystal may contain boron and nitrogen content (pg 22, lines 10-18). Boron is known to impart a blue coloration to diamond crystal, as disclosed in Linares (pg 16, lines 9-12). Because the blue wavelength lies within 400 to 500 nm, it is inherent that a diamond crystal with boron doping would phosphoresce within the range of the instant claim. Additionally, if nitrogen is used as a dopant in the single crystal diamond structure, the single crystal diamond would inherently show photoluminescence peaks at 533 nm, 575 nm or 638

nm as evidenced by Vlasov et al (*Relative Abundance of Single and Vacancy-Bonded Substitutional Nitrogen in CVD Diamond*, pg 85, Fig. 1).

Regarding claim 50, Linares discloses that nitrogen doping may be used for similar purposes as boron doping (pg 14, lines 20-30). If nitrogen is used as a dopant in the single crystal diamond structure, the single crystal diamond would inherently show photoluminescence peaks at 575 nm and 638 nm as evidenced by Vlasov et al (*Relative Abundance of Single and Vacancy-Bonded Substitutional Nitrogen in CVD Diamond*, pg 85, Fig. 1). These wavelengths are associated with orange colorations. Additionally, boron doping is known to impart a blue coloration to diamond crystal, as disclosed in Linares (pg 16, lines 9-12).

Claims 8-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Linares et al (WO 03/014427).

Regarding claims 8-9, Linares discloses a boron concentration in the single crystal diamond between 0.03 ppm and 3,000 ppm. The instant claim recites an overlapping range, which is a prima facie case of obviousness (See MPEP 2144.05). It would have been obvious, at the time of invention, for one skilled in the art to select a concentration within the range prescribed by Linares.

Claims 36-38 rejected under 35 U.S.C. 103(a) as being unpatentable over Linares et al (WO 03/014427), further in view of Gilbertson (US Patent 6,665,058).

Regarding claim 36, Linares does not disclose a gemstone having a solid geometrical shape or an unfilled geometrical shape, with an axial symmetry perpendicular to the table of the gemstone.

Gilbertson discloses a method of determining the symmetry for gemstones having the qualities of the instant claim (abstract).

It would have been obvious at the time of invention to one of ordinary skill in the art to apply the teachings of Gilbertson to Linares in order to make a gemstone having a solid geometrical shape with axial symmetry perpendicular to the table of the gemstone because the lack of such features decreases the brilliance of the gemstone as well as its value (Gilbertson, column 4, lines 5-15).

For claim 37, Gilbertson teaches a gemstone that has a generally round shape (see Fig 5-8). This generally round shape lends to the symmetry of the gemstone. Any feature observable through the table of the gemstone would constitute a spot.

Regarding claim 38, the gemstones of Gilbertson (Fig. 5-8) have round brilliant forms (columns 3-4, lines 33-4).

Claims 13-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Linares et al (WO 03/014427), in view of Falabella (US Patent 5,474,816) and Fernandes et al ("Porous silicon capping by CVD diamond", *Vacuum*, Vol 52, pg 215-218).

Regarding claims 13 and 14, Linares does not disclose a layer or region that emits 737 nm radiation. Falabella teaches a diamond material containing silicon dopants (column 3, lines 23-48). According to Fernandes, silicon has photoluminescence at 737nm (pg 216, Fig 2).

One of ordinary skill in the art would have been motivated to use silicon as a dopant in a CVD single crystal diamond, as taught by Falabella, in the process taught

by Linares because it reduces the stress levels present in the diamond (column 3, lines 23-48).

Regarding claim 15 and 16, neither Linares nor Falabella disclose the concentration of silicon added as a dopant in the single crystal diamond. Linares does disclose that the amount of impurity present affects the crystal lattice of the diamond structure (pg 13, lines 25-28). Thus, it would have been obvious to one of ordinary skill in the art at the time of invention to optimize the concentration of the dopant present in the diamond to arrive at a dopant concentration that would not adversely affect the diamond structure (See MPEP 2144.05 II).

Claims 17-18, 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Linares et al (WO 03/014427), in view of Vlasov et al (*Relative Abundance of Single and Vacancy-Bonded Substitutional Nitrogen in CVD Diamond*, phys. Stat. sol 181, 83, 2000).

Regarding claim 17, Linares discloses that single diamond crystals containing impurities such as boron have optical absorption coefficients, but does not teach their observance with the human eye using filters and lenses.

Vlasov teaches measuring the luminescence with a spectrometer (pg. 84), which inherently have lenses and filters incorporated within them. This luminescence would be observed with the human eye if desired, because the luminescence is within the visible wavelengths (pg 85).

It would have been obvious to one of ordinary skill in the art at the time of invention to use the method of Vlasov to determine the level of impurities present in the

diamond crystal made in Linares because the process of Vlasov can be used to determine the amount and type of dopants present in the crystal (Vlasov, pg 84).

Regarding claim 18, Vlasov measures the intensity of the photoluminescence emitted by the dopants in the crystal (pg 85, Fig 1).

Regarding claim 20, Vlasov shows an optical image capture that is produced from a spectrophotometer, which inherently contains lenses and filters (pg 85, Fig 1).

Claim 19 is rejected under 35 U.S.C. 103(a) as being unpatentable over Linares et al (WO 03/014427) in view of Vlasov et al (*Relative Abundance of Single and Vacancy-Bonded Substitutional Nitrogen in CVD Diamond*, phys. Stat. sol 181, 83, 2000), as applied to claim 18 above, further in view of Falabella (US Patent 5,474,816) and Fernandes et al ("Porous silicon capping by CVD diamond", *Vacuum*, Vol 52, pg 215-218).

Regarding claim 19, Linares in view of Vlasov do not teach detecting 737 nm radiation. Falabella and Fernandes teach silicon doping of diamonds (Falabella, column 3, lines 23-48; Fernandes, pg 216, Fig 2), which would inherently give off 737 nm radiation (Fernandes, pg 216, Fig 2).

Thus, one of ordinary skill in the art at the time of invention would be motivated to detect 737 nm radiation using the radiation detection method of Vlasov in the process taught by Linares modified by Falabella, because if silicon impurities were present in the diamond, then one would want to detect their presence.

Claims 27-28, 53 are rejected under 35 U.S.C. 103(a) as being unpatentable over Linares et al (WO 03/014427), in view of Gresser (US Patent 4,392,476).

Regarding claims 27-28, Linares does not teach the impurity as a fingerprint being used to identify the manufacturer or in the manner of a trademark.

Gresser teaches a method of placing identifying indicia on the surface of gemstones, such as trademark symbols or names (column 2, lines 13-23).

Thus, it would have been obvious at the time of invention to one of ordinary skill in the art to use the impurity fingerprint of Linares to identify the manufacturer or in the manner of a trademark, in order to categorize various characteristics of the diamond for valuation purposes as described by Gresser (Gresser, column 1, lines 10-17).

Regarding claim 53, the process of Linares in view of Gresser necessarily produce a gemstone product containing a fingerprint used in the manner of a trademark.

Claim 39 is rejected under 35 U.S.C. 103(a) as being unpatentable over Linares et al (WO 03/014427), as applied to claim 35 above, further in view of Buchner (US Patent 5,524,458).

Regarding claim 39, Linares does not teach a rectangular shaped gemstone.

Buchner teaches gemstones that have rectangular shapes (see Fig 2, items 4, 8), as described in the specification (column 8, lines 8-13).

It would have been obvious to one of ordinary skill at the time of invention to make a gemstone with a rectangular shape as taught by Buchner, as it is clear that there is demand for gemstones of such shapes, from the product made by the process taught by Linares.

Because of the way in which the diamond is made in the process of Linares, the observable feature would be in the shape of a square because the doping is done by

layer (pg 14, lines 20-30), and so the features would take the shape of the cut gemstone.

Response to Arguments

Applicants raise the argument that Linares does not disclose inclusion of chemical dopants in a concentration which is not readily detectable under normal viewing conditions, does not affect the perceived quality or significantly affect its properties (remarks at 1).

Applicants point out that high doping concentrations in Linares would cause the properties, namely band gap, to be modified. However, as shown above Linares recites a wide range of ppm for instance in boron of 0.03 to 3000 ppm. Applicants claim generally 0.0001 to 10 ppm. 0.03 lies within that range. Accordingly applicants argument here is not persuasive as a recited doping range is disclosed by the prior art, and since the office is unable to test this, a *prima facie* case of obviousness exists over the range. Applicants are requested to submit testing data showing that indeed practicing Linares would affect the properties, perceived quality, etc. (This after applicants have properly amended around the *supra* 112(2) rejections).

Further argument is made to the fact that the doping concentration is not recited as a mark of origin or fingerprint. While Linares is not concerned with showing a mark of origin, one of ordinary skill in the art would however understand that typically chemical markers are utilized as sources of gleaning origin. If the dopant concentration is indeed what applicants feel is what is novel and non-obvious then applicants should amend them into the independent claim.

Furthermore applicants are not claiming marking inside of the diamond (remarks at 2-3), or on the surface. Therefore as they admit, it is known to indeed somehow mark a diamond.

Conclusion

Claims 1 & 3-53 and 75-79 are remain rejected.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Richard M. Rump whose telephone number is (571) 270-5848. The examiner can normally be reached on Monday through Friday 7:00 AM-4:30 PM (-5 GMT).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stanley Silverman can be reached on (571)272-1358. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

/R. M. R./
Examiner, Art Unit 1736

/Stuart Hendrickson/
Primary Examiner, Art Unit 1736